

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	863	ldap with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:55
S2	4	ldap with server with udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:57
S3	137	ldap with server and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:58
S4	63	ldap with server and udp with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:58
S5	21	ldap with server and udp with packet and configuration with client and configuration with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:06
S6	7	((updat\$7 upgrad\$7) with active with client) and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:08
S7	189	(updat\$7 upgrad\$7) with active with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S8	409	"active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S9	30	"active client" with (upgrad\$7 updat\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S10	60	ldap with server and udp with packet and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:18

S11	330552	active with (application software) updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S12	66366	active with (application software) updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S13	0	active with (application software) with updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S14	354	active with (application software) with updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:55
S15	6	active with (application software) with updat\$3 with terminat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:56
S16	4	active with (application software) with updat\$3 with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:58
S17	15	active with (application software) with updat\$3 and updat\$3 with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:01
S18	1	terminat\$3 with updat\$3 with (software application) with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:02
S19	218	run\$1time with (updat\$3 upgrad\$3) with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:03
S20	4	run\$1time with (updat\$3 upgrad\$3) with (software application program) and terminat\$3 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:00

S21	7	(software application program) with updat\$3 with "active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:02
S22	1	2002-405386.NRAN.	DERWENT	OR	OFF	2003/09/26 15:01
S23	8	(software application program) with updat\$3 with client with (orb middle\$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:03
S24	11	(software application program) with updat\$3 with client with (orb broker middle\$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:21
S25	2595	(software application program) with updat\$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:22
S26	360	((software application program) with updat\$3 with (client network)). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:22
S27	52	717/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:29
S28	1378	(updat\$7 upgrad\$7) with running with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30
S29	356	(updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:54
S30	0	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) with while	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30
S31	356	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30

S32	1	2002-405386.NRAN.	DERWENT	OR	OFF	2003/11/20 12:48
S33	85	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) and (restart\$3 re-start\$3 re-execut\$3 reexecut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 13:36
S34	37	"5920725".URPN.	USPAT	OR	ON	2003/11/20 12:57
S35	116	717/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S36	156	717/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S37	96	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S38	84	717/177.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S39	163	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S40	0	709/203.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S41	3831	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S42	2199	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57

S43	2147	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S50	2	("5920725").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 13:26
S52	81	bootstrap with configur\$ with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:42
S53	48	boot\$5 with configur\$ adj1 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 09:26
S54	1621	ldap with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S55	5	ldap with server with udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S56	239	ldap with server and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S57	92	ldap with server and udp with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S58	33	ldap with server and udp with packet and configuration with client and configuration with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S59	23	((updat\$7 upgrad\$7) with active with client) and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S60	324	(updat\$7 upgrad\$7) with active with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S61	660	"active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S62	47	"active client" with (upgrad\$7 updat\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S63	85	ldap with server and udp with packet and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S64	440477	active with (application software) updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S65	85762	active with (application software) updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S66	1	active with (application software) with updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S67	549	active with (application software) with updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S68	10	active with (application software) with updat\$3 with terminat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S69	6	active with (application software) with updat\$3 with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S70	26	active with (application software) with updat\$3 and updat\$3 with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S71	3	terminat\$3 with updat\$3 with (software application) with (restart\$3 reload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S72	350	run\$1time with (updat\$3 upgrad\$3) with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S73	5	run\$1time with (updat\$3 upgrad\$3) with (software application program) and terminat\$3 with (reload\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S74	8	(software application program) with updat\$3 with "active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S75	1	2002-405386.NRAN.	DERWENT	OR	OFF	2005/05/13 16:15
S76	10	(software application program) with updat\$3 with client with (orb middle\$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S77	15	(software application program) with updat\$3 with client with (orb broker middle\$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S78	4245	(software application program) with updat\$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S79	515	((software application program) with updat\$3 with (client network)). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S80	103	717/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S81	2063	(updat\$7 upgrad\$7) with running with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S82	564	(updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S83	0	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) with while	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S84	564	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S85	1	2002-405386.NRAN.	DERWENT	OR	OFF	2005/05/13 16:15
S86	121	((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) and (restart\$3 re-start\$3 re-execut\$3 reexecut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S87	46	"5920725".URPN.	USPAT	OR	ON	2005/05/13 16:15
S88	235	717/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S89	247	717/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S90	204	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S91	147	717/177.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S92	277	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S93	0	709/203.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S94	5312	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S95	3199	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S96	3019	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S97	2	("5920725").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:15
S98	82	bootstrap with configur\$ with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S99	48	boot\$5 with configur\$ adj1 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S10 0	381	configuration with agent with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:12
S10 1	172	configuration with agent with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:26

S10 2	5	configuration with agent with client with server same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:34
S10 3	251	configuration with client with server same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:34
S10 4	2	query with configuration adj1 server with updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:35
S10 5	20	configuration adj1 server with. updat\$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:39
S10 6	1	2002-405386.NRAN.	DERWENT	OR	ON	2005/09/23 16:35
S10 7	861	updat\$3 with active with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:40
S10 8	124	updat\$3 with (running active) with (software application program) with (terminat\$3 shut\$4 end\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:42
S10 9	70	updat\$3 with (running active) with (software application program) with (terminat\$3 shut\$4 halt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:01
S11 0	4	((("6314088") or ("6029196"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 17:01